

Author Index

- Ayasola, K.-R., see Uberti, D. (65) 167
 Azcurra, J.M., see Paratcha, G.C. (65) 34
- Bao, Y., see Ho, S.P. (65) 23
 Baudry, M., see Simantov, R. (65) 112
 Baumgartner, A., see Eravci, M. (65) 103
 Bernth, N., see Hansen, T.M. (65) 186
 Betz, A.L., see Yang, G.-Y. (65) 143
 Biber, K., see Ren, L.-q. (65) 198
 Böttiger, B.W., Teschendorf, P., Krumnikl, J.J., Vogel, P., Galmbacher, R., Schmitz, B., Motsch, J., Martin, E. and Gass, P.
 Global cerebral ischemia due to cardiocirculatory arrest in mice causes neuronal degeneration and early induction of transcription factor genes in the hippocampus (65) 135
 Brödel, O., see Eravci, M. (65) 103
 Broutman, G., see Simantov, R. (65) 112
 Brown, B., see Craft, C.M. (65) 44
- Camins, A., see Gabriel, C. (65) 61
 Chica Schaller, see Hermans-Borgmeyer, I. (65) 216
 Conklin, D., see Ho, S.P. (65) 23
 Craft, C.M., Murage, J., Brown, B. and Zhan-Poe, X.
 Bovine arylalkylamine *N*-acetyltransferase activity correlated with mRNA expression in pineal and retina (65) 44
 Crispino, M., see Simantov, R. (65) 112
- Date, Y., see Yamamoto, Y. (65) 14
 DeAntonio, I., see Garzón, J. (65) 151
 DeFelipe, J., see Garzón, J. (65) 151
 Dodge, J., see Rutkoski, N.J. (65) 80
- Eravci, M., Kley, S., Pinna, G., Prengel, H., Brödel, O., Hiedra, L., Meinhold, H. and Baumgartner, A.
 Gene expression of glucose transporters and glycolytic enzymes in the CNS of rats behaviorally dependent on ethanol (65) 103
- Fitch, C.A., see Rutkoski, N.J. (65) 80
- Gabriel, C., Justicia, C., Camins, A. and Planas, A.M.
 Activation of nuclear factor- κ B in the rat brain after transient focal ischemia (65) 61
 Galmbacher, R., see Böttiger, B.W. (65) 135
 García-España, A., see Garzón, J. (65) 151
 Garzón, J., DeFelipe, J., Rodríguez, J.-R., DeAntonio, I., García-España, A. and Sánchez-Blázquez, P.
 Transport of CSF antibodies to $G\alpha$ subunits across neural membranes requires binding to the target protein and protein kinase C activity (65) 151
 Gass, P., see Böttiger, B.W. (65) 135
 Ge, H.-L., see Yang, G.-Y. (65) 143
 Gebicke-Haerter, P.J., see Ren, L.-q. (65) 198
 Genda, Y., see Tohgi, H. (65) 124
 Gil, S., see Uberti, D. (65) 167
 Goldfinger, N., see Uberti, D. (65) 167
 Gong, C., see Yang, G.-Y. (65) 143
- Hamada, T., Kako, K., Wakamatsu, H., Shibata, S., Watanabe, S. and Ishida, N.
 Diurnal regulation of a DNA binding protein to the *period* repeat sequence in the SCN nuclear extract of rat brain (65) 211
 Hansen, T.M., Nielsen, H., Bernth, N. and Moos, T.
 Expression of ferritin protein and subunit mRNAs in normal and iron deficient rat brain (65) 186
 Hara, Y., see Yamamoto, Y. (65) 14
 Hermans-Borgmeyer, I., Hermey, G., Nykjaer, A. and Chica Schaller.
 Expression of the 100-kDa neurotensin receptor sortilin during mouse embryonal development (65) 216
 Hermey, G., see Hermans-Borgmeyer, I. (65) 216
 Hiedra, L., see Eravci, M. (65) 103
 Ho, S.P., Bao, Y., Leshner, T., Conklin, D. and Sharp, D.
 Regulation of the angiotensin type-1 receptor by antisense oligonucleotides occurs through an RNase H-type mechanism (65) 23
 Hoe, W., see Simantov, R. (65) 112
- Ibarra, G.R., see Paratcha, G.C. (65) 34
 Iino, M., see Sudo, M. (65) 176
 Ishida, N., see Hamada, T. (65) 211
 Ivins, K.J., see Neve, R.L. (65) 52
- Jhamandas, J.H., see Krukoff, T.L. (65) 70
 Justicia, C., see Gabriel, C. (65) 61
- Kako, K., see Hamada, T. (65) 211
 Kalluri, H.S.G. and Ticku, M.K.
 Potential involvement of tyrosine kinase pathway in the antagonist induced upregulation of the NMDA receptor NR2B subunit in cortical neurons (65) 206
- Kanegae, Y., see Sudo, M. (65) 176
 Kley, S., see Eravci, M. (65) 103
 Krukoff, T.L., MacTavish, D. and Jhamandas, J.H.
 Hypertensive rats exhibit heightened expression of corticotropin-releasing factor in activated central neurons in response to restraint stress (65) 70
 Krumnikl, J.J., see Böttiger, B.W. (65) 135
- Leshner, T., see Ho, S.P. (65) 23
 Levenson, C.W., see Rutkoski, N.J. (65) 80
 Lindholm, D., see Skoglösa, Y. (65) 1
 Lubrich, B., see Ren, L.-q. (65) 198
 Luque, J.M. and Wintzer, M.E.
 Detection of p75 mRNA in developing marsupial CNS by cross-hybridization with rat oligonucleotide probes (65) 129
- MacTavish, D., see Krukoff, T.L. (65) 70
 Mao, Y., see Yang, G.-Y. (65) 143
 Martin, E., see Böttiger, B.W. (65) 135
 Matsukura, S., see Yamamoto, Y. (65) 14
 Meinhold, H., see Eravci, M. (65) 103
 Miwa, A., see Sudo, M. (65) 176
 Moos, T., see Hansen, T.M. (65) 186
 Motsch, J., see Böttiger, B.W. (65) 135
 Murage, J., see Craft, C.M. (65) 44
- Nagane, Y., see Tohgi, H. (65) 124
 Nakazato, M., see Yamamoto, Y. (65) 14
 Neve, R.L., Ivins, K.J., Tsai, K.-C., Rogers, S.L. and Perrone-Bizzozero, N.I.
cis-Acting regulatory elements in the GAP-43 mRNA 3'-untranslated region can function in *trans* to suppress endogenous GAP-43 gene expression (65) 52
 Nielsen, H., see Hansen, T.M. (65) 186
 Nomura, M., see Yamamoto, Y. (65) 14
 Nykjaer, A., see Hermans-Borgmeyer, I. (65) 216
- Okado, H., see Sudo, M. (65) 176
 Ozawa, S., see Sudo, M. (65) 176
- Panter, S.S., see Turner, C.P. (65) 87
 Paratcha, G.C., Ibarra, G.R., Wolansky, M.J., Rodriguez, J.A. and Azcurra, J.M.
 Decreased GAP-43/B-50 phosphorylation in striatal synaptic plasma membranes after circling motor behavior during development (65) 34

Author Index

- Ayasola, K.-R., see Uberti, D. (65) 167
 Azcurra, J.M., see Paratcha, G.C. (65) 34
- Bao, Y., see Ho, S.P. (65) 23
 Baudry, M., see Simantov, R. (65) 112
 Baumgartner, A., see Eravci, M. (65) 103
 Bernth, N., see Hansen, T.M. (65) 186
 Betz, A.L., see Yang, G.-Y. (65) 143
 Biber, K., see Ren, L.-q. (65) 198
 Böttiger, B.W., Teschendorf, P., Krumnikl, J.J., Vogel, P., Galmbacher, R., Schmitz, B., Motsch, J., Martin, E. and Gass, P.
 Global cerebral ischemia due to cardiocirculatory arrest in mice causes neuronal degeneration and early induction of transcription factor genes in the hippocampus (65) 135
 Brödel, O., see Eravci, M. (65) 103
 Broutman, G., see Simantov, R. (65) 112
 Brown, B., see Craft, C.M. (65) 44
- Camins, A., see Gabriel, C. (65) 61
 Chica Schaller, see Hermans-Borgmeyer, I. (65) 216
 Conklin, D., see Ho, S.P. (65) 23
 Craft, C.M., Murage, J., Brown, B. and Zhan-Poe, X.
 Bovine arylalkylamine *N*-acetyltransferase activity correlated with mRNA expression in pineal and retina (65) 44
 Crispino, M., see Simantov, R. (65) 112
- Date, Y., see Yamamoto, Y. (65) 14
 DeAntonio, I., see Garzón, J. (65) 151
 DeFelipe, J., see Garzón, J. (65) 151
 Dodge, J., see Rutkoski, N.J. (65) 80
- Eravci, M., Kley, S., Pinna, G., Prengel, H., Brödel, O., Hiedra, L., Meinhold, H. and Baumgartner, A.
 Gene expression of glucose transporters and glycolytic enzymes in the CNS of rats behaviorally dependent on ethanol (65) 103
- Fitch, C.A., see Rutkoski, N.J. (65) 80
- Gabriel, C., Justicia, C., Camins, A. and Planas, A.M.
 Activation of nuclear factor- κ B in the rat brain after transient focal ischemia (65) 61
 Galmbacher, R., see Böttiger, B.W. (65) 135
 García-España, A., see Garzón, J. (65) 151
 Garzón, J., DeFelipe, J., Rodríguez, J.-R., DeAntonio, I., García-España, A. and Sánchez-Blázquez, P.
 Transport of CSF antibodies to $G\alpha$ subunits across neural membranes requires binding to the target protein and protein kinase C activity (65) 151
 Gass, P., see Böttiger, B.W. (65) 135
 Ge, H.-L., see Yang, G.-Y. (65) 143
 Gebicke-Haerter, P.J., see Ren, L.-q. (65) 198
 Genda, Y., see Tohgi, H. (65) 124
 Gil, S., see Uberti, D. (65) 167
 Goldfinger, N., see Uberti, D. (65) 167
 Gong, C., see Yang, G.-Y. (65) 143
- Hamada, T., Kako, K., Wakamatsu, H., Shibata, S., Watanabe, S. and Ishida, N.
 Diurnal regulation of a DNA binding protein to the *period* repeat sequence in the SCN nuclear extract of rat brain (65) 211
 Hansen, T.M., Nielsen, H., Bernth, N. and Moos, T.
 Expression of ferritin protein and subunit mRNAs in normal and iron deficient rat brain (65) 186
 Hara, Y., see Yamamoto, Y. (65) 14
 Hermans-Borgmeyer, I., Hermey, G., Nykjaer, A. and Chica Schaller.
 Expression of the 100-kDa neurotensin receptor sortilin during mouse embryonal development (65) 216
 Hermey, G., see Hermans-Borgmeyer, I. (65) 216
 Hiedra, L., see Eravci, M. (65) 103
 Ho, S.P., Bao, Y., Leshner, T., Conklin, D. and Sharp, D.
 Regulation of the angiotensin type-1 receptor by antisense oligonucleotides occurs through an RNase H-type mechanism (65) 23
 Hoe, W., see Simantov, R. (65) 112
- Ibarra, G.R., see Paratcha, G.C. (65) 34
 Iino, M., see Sudo, M. (65) 176
 Ishida, N., see Hamada, T. (65) 211
 Ivins, K.J., see Neve, R.L. (65) 52
- Jhamandas, J.H., see Krukoff, T.L. (65) 70
 Justicia, C., see Gabriel, C. (65) 61
- Kako, K., see Hamada, T. (65) 211
 Kalluri, H.S.G. and Ticku, M.K.
 Potential involvement of tyrosine kinase pathway in the antagonist induced upregulation of the NMDA receptor NR2B subunit in cortical neurons (65) 206
- Kanegae, Y., see Sudo, M. (65) 176
 Kley, S., see Eravci, M. (65) 103
 Krukoff, T.L., MacTavish, D. and Jhamandas, J.H.
 Hypertensive rats exhibit heightened expression of corticotropin-releasing factor in activated central neurons in response to restraint stress (65) 70
 Krumnikl, J.J., see Böttiger, B.W. (65) 135
- Leshner, T., see Ho, S.P. (65) 23
 Levenson, C.W., see Rutkoski, N.J. (65) 80
 Lindholm, D., see Skoglösa, Y. (65) 1
 Lubrich, B., see Ren, L.-q. (65) 198
 Luque, J.M. and Wintzer, M.E.
 Detection of p75 mRNA in developing marsupial CNS by cross-hybridization with rat oligonucleotide probes (65) 129
- MacTavish, D., see Krukoff, T.L. (65) 70
 Mao, Y., see Yang, G.-Y. (65) 143
 Martin, E., see Böttiger, B.W. (65) 135
 Matsukura, S., see Yamamoto, Y. (65) 14
 Meinhold, H., see Eravci, M. (65) 103
 Miwa, A., see Sudo, M. (65) 176
 Moos, T., see Hansen, T.M. (65) 186
 Motsch, J., see Böttiger, B.W. (65) 135
 Murage, J., see Craft, C.M. (65) 44
- Nagane, Y., see Tohgi, H. (65) 124
 Nakazato, M., see Yamamoto, Y. (65) 14
 Neve, R.L., Ivins, K.J., Tsai, K.-C., Rogers, S.L. and Perrone-Bizzozero, N.I.
cis-Acting regulatory elements in the GAP-43 mRNA 3'-untranslated region can function in *trans* to suppress endogenous GAP-43 gene expression (65) 52
 Nielsen, H., see Hansen, T.M. (65) 186
 Nomura, M., see Yamamoto, Y. (65) 14
 Nykjaer, A., see Hermans-Borgmeyer, I. (65) 216
- Okado, H., see Sudo, M. (65) 176
 Ozawa, S., see Sudo, M. (65) 176
- Panther, S.S., see Turner, C.P. (65) 87
 Paratcha, G.C., Ibarra, G.R., Wolansky, M.J., Rodriguez, J.A. and Azcurra, J.M.
 Decreased GAP-43/B-50 phosphorylation in striatal synaptic plasma membranes after circling motor behavior during development (65) 34

- Perrone-Bizzozero, N.I., see Neve, R.L. (65) 52
- Pinna, G., see Eravci, M. (65) 103
- Planas, A.M., see Gabriel, C. (65) 61
- Prengel, H., see Eravci, M. (65) 103
- Ren, L.-q., Lubrich, B., Biber, K. and Gebicke-Haerter, P.J.
Differential expression of inflammatory mediators in rat microglia cultured from different brain regions (65) 198
- Rodríguez, J.-R., see Garzón, J. (65) 151
- Rodríguez, J.A., see Paratcha, G.C. (65) 34
- Rogers, S.L., see Neve, R.L. (65) 52
- Rothstein, J.D., see Simantov, R. (65) 112
- Rotter, V., see Uberti, D. (65) 167
- Rutkoski, N.J., Fitch, C.A., Yeiser, E.C., Dodge, J., Trombley, P.Q. and Levenson, C.W.
Regulation of neuropeptide Y mRNA and peptide concentrations by copper in rat olfactory bulb (65) 80
- Saito, I., see Sudo, M. (65) 176
- Sánchez-Blázquez, P., see Garzón, J. (65) 151
- Schmitz, B., see Böttiger, B.W. (65) 135
- Serino, R., see Yamamoto, Y. (65) 14
- Sharp, D., see Ho, S.P. (65) 23
- Sharp, F.R., see Turner, C.P. (65) 87
- Shibata, S., see Hamada, T. (65) 211
- Shibuya, I., see Yamamoto, Y. (65) 14
- Simantov, R., Crispino, M., Hoe, W., Broutman, G., Tocco, G., Rothstein, J.D. and Baudry, M.
Changes in expression of neuronal and glial glutamate transporters in rat hippocampus following kainate-induced seizure activity (65) 112
- Skoglösa, Y., Takei, N. and Lindholm, D.
Distribution of pituitary adenylate cyclase activating polypeptide mRNA in the developing rat brain (65) 1
- Sudo, M., Okado, H., Iino, M., Tsuzuki, K., Miwa, A., Kanegae, Y., Saito, I. and Ozawa, S.
Postsynaptic expression of Ca^{2+} -permeable AMPA-type glutamate receptor channels by viral-mediated gene transfer (65) 176
- Takei, N., see Skoglösa, Y. (65) 1
- Teschendorf, P., see Böttiger, B.W. (65) 135
- Ticku, M.K., see Kalluri, H.S.G. (65) 206
- Tocco, G., see Simantov, R. (65) 112
- Tohgi, H., Utsugisawa, K., Nagane, Y., Yoshimura, M., Ukitsu, M. and Genda, Y.
Decrease with age in methylcytosines in the promoter region of receptor for advanced glycosylated end products (RAGE) gene in autopsy human cortex (65) 124
- Trombley, P.Q., see Rutkoski, N.J. (65) 80
- Tsai, K.-C., see Neve, R.L. (65) 52
- Tsuzuki, K., see Sudo, M. (65) 176
- Turner, C.P., Panter, S.S. and Sharp, F.R.
Anti-oxidants prevent focal rat brain injury as assessed by induction of heat shock proteins (HSP70, HO-1/HSP32, HSP47) following subarachnoid injections of lysed blood (65) 87
- Uberti, D., Yavin, E., Gil, S., Ayasola, K.-R., Goldfinger, N. and Rotter, V.
Hydrogen peroxide induces nuclear translocation of p53 and apoptosis in cells of oligodendroglia origin (65) 167
- Ueta, Y., see Yamamoto, Y. (65) 14
- Ukitsu, M., see Tohgi, H. (65) 124
- Utsugisawa, K., see Tohgi, H. (65) 124
- Vogel, P., see Böttiger, B.W. (65) 135
- Wakamatsu, H., see Hamada, T. (65) 211
- Watanabe, S., see Hamada, T. (65) 211
- Wintzer, M.E., see Luque, J.M. (65) 129
- Wolansky, M.J., see Paratcha, G.C. (65) 34
- Yamamoto, Y., Ueta, Y., Date, Y., Nakazato, M., Hara, Y., Serino, R., Nomura, M., Shibuya, I., Matsukura, S. and Yamashita, H.
Down regulation of the *prepro-orexin* gene expression in genetically obese mice (65) 14
- Yamashita, H., see Yamamoto, Y. (65) 14
- Yang, G.-Y., Mao, Y., Zhou, L.-F., Gong, C., Ge, H.-L. and Betz, A.L.
Expression of intercellular adhesion molecule 1 (ICAM-1) is reduced in permanent focal cerebral ischemic mouse brain using an adenoviral vector to induce overexpression of interleukin-1 receptor antagonist (65) 143
- Yavin, E., see Uberti, D. (65) 167
- Yeiser, E.C., see Rutkoski, N.J. (65) 80
- Yoshimura, M., see Tohgi, H. (65) 124
- Zhan-Poe, X., see Craft, C.M. (65) 44
- Zhou, L.-F., see Yang, G.-Y. (65) 143